

AN ISO 9001-2008 Certified Company



No.1

QUALITY
BRAND
RECOMMENDED
BY INDIA'S
LEADING
ARCHITECTS &
INTERIOR
DESIGNERS

1.5MM
A GRADE ACRYLIC

SKYLITE
LAMINATES

SKYLITE
LAMINATES

A E S

Look of luxury

T H E

Solid Covering

T I C

SKYLITE
LAMINATES

Skylite Industries India Pvt. Ltd.

Barwala Works :
Plot No. L-6 Global Industrial Grande,
Village Golpura Panchkula Haryana, 134118
🌐 : skylitelaminates.com



Skylite Innovations Pvt. Ltd.

Baddi Works :
Village Tipra, Tehsil Baddi (HP)
✉ : info@skylite.in 🌐 : www.skylite.in
Bangaluru Works :
No 78 Thotadaguddahalli, Nagasandra Post
Bangalore-560073



LEADING THE WAY AS
INDIA'S
FIRST ACRYLIC LAMINATE MANUFACTURER

ABOUT US

India's first premier Manufacturer of Acrylic Laminates

Skylite Laminates stands as a pioneering force in the Indian industry, being the first manufacturer of high-quality acrylic laminates in the country. With an unwavering commitment to innovation, craftsmanship, and customer satisfaction, Skylite has set new standards in the laminates market.

At Skylite, we combine cutting-edge technology of Italy with artistic finesse to produce a diverse range of premium acrylic laminates that cater to various design needs. Our products are crafted with precision and attention to detail, ensuring unmatched durability and aesthetic appeal.

Driven by a passion for excellence, Skylite continually strives to push boundaries and redefine industry norms. Our dedication to quality, sustainability, and customer-centric approach sets us apart as a trusted name in the realm of acrylic laminates.

We are also one of the leading manufacturer of polycarbonate sheets for various applications. We manufacture Polycarbonate sheets (Solid /Embossed /Crystal), Polycarbonate profiled sheets, Polycarbonate Ventilator Base, Polycarbonate Dome , Polycarbonate Pyramid and Self Drilling Screws. We have developed a wide infrastructural unit that is situated at Barwala Distt Panchkula (Haryana),Baddi(Himachal Pradesh), Bangluru (Karnataka). To inquire about customization options for Skylite laminates, you can reach out to our customer service or sales representatives directly.

Experience the difference with Skylite Laminates - where innovation meets elegance, and quality knows no compromise.

SKYLITE
LAMINATES

EVOLUTION



E-Catalog



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF

TIPS FOR A BETTER INSTALLATION AND MAINTENANCE :

1. Ensure the originality of products by checking the sticker on it before buying any of Skylite Acrylic Laminates.
2. Once you receive the product, check no product has been damaged in the transportation. Only after inspecting, proceed further for installation.
3. To avoid bubbles or wavy surface later, before installation, make sure the substrates (MDF, Particle Board, Plywood) is in good condition. Also check the surface is even and of similar thickness.
4. There should be no dust or grease on the surface. So, clean it with the help of a cloth before putting Skylite Acrylic Sheet on it.
5. Use water based adhesives only and stir it well before using. Remember : Don't mix water in it.
6. To get the best bonding forever, apply the adhesive uniformly using a brush, roller or adhesive spreader on both the surfaces, base and laminate sheet.
7. To be able to remove air between the laminate sheet and the base, keep minimum 2mm gap between two laminates while applying. Use soft pinch roller or normal pressing technique and the pressing should be done from the middle of the panel and move towards the sided line and corners.
8. Full bonding strength is achieved only when given sufficient amount of pressing after adhesive application that is, minimum 12 to 15 hours.
9. After installation, remove the protective film within 7 to 10 days.

DO THIS :

1. Store the laminates in climate below 30 C temperature .
2. Clean the surface with water and with a non abrasive cloth. We recommend to clean with soft micro fiber cloth.
3. Use glossy surfaces only on vertical applications.

DON'T DO THIS :

1. Do not share Skylite Acrylic sheet in a roll form.
2. Avoid using cleaners made with alcohol, solvent, petrol or oil. Using such cleaners may damage the surface of laminates.
3. Do. not use thinner on the surface of laminates.
4. We strictly do not recommend to use Skylite Acrylic Sheets for outdoor applications. UV rays may change the shape of laminates.

AVOID AIR BUBBLES OR WAVES AFTER APPLICATION :

- Never mix water to adhesive. Use only water based adhesive.
- Surface must be even.
- Uncertain and frequently changing weather may cause laminates to absorb moisture and lose it again resulting in air bubbles.
- If Acrylic Laminates of size more than 8'*2* are used in paneling, they may end up having air bubbles.
- Lack of the time given to pressing leads to having air bubbles.
- Acrylic laminates should be kept evenly straight. If the laminates are in roll form, It should be kept straight for minimum 48 hours and then can be pressed for better results.

YOU ARE IN THE RIGHT HANDS!

Skylite laminate are manufactured with aesthetics and durability in mind. when used as recommended, our laminates will last through the years. Skylite laminates are easy to maintain. We design our sheets using the Typical internationally recognized technical standards.

- To remove more stubborn stains, use mild household cleansers, gently wipe down with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the Acrylic sheets.
- Do not place hot cookware directly on the laminate. Prolonged exposure to temperatures above 30 degree Celsius may cause damage to the laminate surface.
- UV rays may reshape the laminate. Avoid outdoor applications.
- Have a thickness balance of +/- 10%

ACRYLIC SHEETS ARE THE BEST OPTIONS FOR BLENDING EDGES.

To achieve a smooth and sleek look with a clear and sleek edge bending, Skylite Acrylic sheets are the best solution. Gloss level is > 96 gloss points, and hence makes it a perfect classy choice. Monolithic look between board and edge gives it an again mastered finish. Also, there is a Wide range of colors combined with trending high gloss acrylic sheets. Acrylic edge- banding made with same colour foil of acrylic sheets keeps it sober.

MERGE WITH EDGES

Skylite acrylic sheets are a variety of eye- catchy and vibrant colours that can go with everything even with natural veneer.

To achieve a smooth sleek look, shiny and reflective surfaces like acrylic sheets are the solution. The gloss edging and bandings with Skylite protects orange peeling of the edges.



Scratch Resistance
Superior resistance to scratch
6H, abrasion and impact



Stain Resistance
Easy to clean with soap
& water




Superior Gloss
Maximum gloss level than any
other surface decor



Ideal for Vertical Applications
This decor is suggested for
vertical applications

- Kitchen Shutters
- Wardrobe
- Doors and drawer fronts
- Office spaces
- Wall panelling
- TV unit
- Furniture



Easy film removal
In 6 Or 7 Days Of
Application



Shake it well and lightly
spray on the surface.



Wipe the surface clean using a
light circular motion.



Please open the roll
immediately.
Do not pressurize while
opening roll.


ABOUT WARRANTY

- Avoid air bubbles or waves after application:
- Never mix water to adhesive. Use only water based adhesive.
- Surface must be even.
- Uncertain and frequently changing weather may cause laminates to absorb moisture and loose it again resulting in air bubbles.
- If Acrylic Laminates of size more than 8'*2* are used in paneling, they may end up having air bubbles.
- Lack of the time given to pressing leads to having air bubbles.
- Acrylic sheets should be kept evenly straight. If the sheets are in roll form, It should be kept straight for minimum 48 hours and then can be pressed for better results.

CARE OF LAMINATES

- You are in the right hands!
- Skylite Decor are manufactured with aesthetics and durability in mind. when used as recommended, our laminates will last through the years. Skylite Decor are easy to maintain. We design our sheets using the Typical internationally recognized technical standards.
- To remove more stubborn stains, use mild household cleansers, gently wipe down with a non-abrasive cloth.
- Avoid the use of abrasive liquid cleansers, bleaching compounds or solution as these may damage the surface of the Acrylic sheets.
- Do not place hot cookware directly on the laminate. Prolonged exposure to temperatures above 30 degree Celsius may cause damage to the laminate surface.
- UV rays may reshape the laminate. Avoid outdoor applications.
- Have a thickness balance of +/- 10%

REASONS FOR AIR BUBBLE FORMATION ON LAMINATES



Uneven surface can cause
debonding and bubbles



Use of extremely large acrylic/
PVC laminate sheets (more than
8 ft x 2 ft long)



Insufficient pressure during
the bonding will look like this



High temperature and
humid conditions are
created to bond the sheets



When substrate
loses moisture after
installation



Use of water base synthetic
resin adhesive or any other the
PEVA (Polyethylene Vinyl Acetate
Co-polymer) is used.

MARBLE


Beyond their appeal and durability, Skylite's Marble Laminate Collection is also environment friendly. Made with sustainable materials and manufactured using eco-friendly processes, these laminates are a responsible choice! Now transform any interior space into a luxurious sanctuary of style and sophistication. Whether you're renovating your home, office or commercial establishment, they offer the perfect combination of beauty and functionality. So, here is the timeless elegance open for you...



MARBLE

SKYLITE
LAMINATES

SL2004 • RHINO



SL4001 • CAPUCCINO



DRAMA

Let every room get the touch of classiness it deserves!



TERMITE & BORER FREE



1.5MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



IDEAL FOR VERTICAL APPLICATION



WATER & STAIN PROOF



Bliss

Dive into marbleous beauty with our sleek and stylish laminates!

FRESHLY




MARBLE



M A G I C A L

SL2011 • DIM GRAY



SL4002 • VENATINO MARBLE



TERMITE & BORER FREE



1.5MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



IDEAL FOR VERTICAL APPLICATION



WATER & STAIN PROOF



Transmute

Converting interiors one elegant wall at a time.

MARBLE

SKYLITE
LAMINATES

SL4004 • PRINT MARBLE



SL4005 • SILESTONE



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT





DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



Slender
Our cool marble laminates bring
a touch of rebellion to your space.

MARBLE

SKYLITE
LAMINATES




G O T H I C

SL5004 • CAMEL



SL4006 • SCRATCH MARBLE



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



LUXURY *Collection*

SKYLITE
LAMINATES



EDITION

These shining bright Acrylic sheets can be paired with oversized wallpaper patterns or other solid walls!

SL8001 • SILVER ART MARBLE



SL8002 • GOLDEN ART MARBLE



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



SOLID

Skylite's Solid Color Laminate Collection offers a diverse range of colors- from bold and vibrant tones to subtle and sophisticated shades, ensuring there's something to suit every space. Whether you're looking to make a bold statement or create a timeless, understated elegance, our solid color sheets have you covered. Also, with simple cleaning and occasional maintenance, they retain their beauty and functionality for years to come!



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF




Smooth tones of solid colors bring timeless appearance!



SOLID




SL2001 • ICE WHITE



SL2002 • BABY POWDER



SL2003 • WARM WHITE



TERMITE & BORER FREE



1.5MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



IDEAL FOR VERTICAL APPLICATION




WATER & STAIN PROOF

SUITABLE


From classic to modern, these colors fit every style!




SL2004 • RHINO



SL2005 • GARDENIA



SL2006 • CRUISE



TERMITE & BORER FREE



1.5MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



IDEAL FOR VERTICAL APPLICATION




WATER & STAIN PROOF



Discover

You will find understated elegance with some solid laminates.




SOLID

SKYLiTE
LAMINATES




SL2007 • METAL GRAY



SL2008 • KOALA GRAY



SL2009 • MID GRAY



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT




DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION




WATER &
STAIN PROOF



Dive into the depths of sophistication
with dark hues in your interior.

SOLID



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



SOLID

SKYLITE
LAMINATES



MULTI CONES

Pastel Colours and experimental shades have recently emerged and are here to stay.


SL2014 • CHERRY RED



SL2015 • TANGERINE



SL2017 • PEACHY PINK



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



SOLID




Revolve

The trend is leaning towards some warmer colours and cool combinations that pamper all your mood feels.

SL2020 • LIME GREEN



SL2019 • PEAR GREEN



SL2016 • VIOLET BLUE



TERMITE & BORER FREE



1.5MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH




IDEAL FOR VERTICAL APPLICATION



WATER & STAIN PROOF



SL2022 • METALLIC VIOLET




SL2021 • LILAC



SL2018 • CRAYOLA YELLOW



SL2023 • BRIGHT CREAM



SOLID

SKYLiTE
LAMINATES



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF

25

26

Simplicity

Bold, beautiful, Matt and evergreen.
Bring style in every decor!




MATT


SKYLiTE
LAMINATES




SL3004 • RHINO



SL3005 • GARDENIA



SL3006 • CRUISE



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



ENHANCIVE

This range of Matt hues is to complement any aesthetic!



MATT




SL3007 • METAL GRAY



SL3008 • KOALA GRAY



SL3009 • MID GRAY



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



MATT

SKYLiTE
LAMINATES

Delight

Because every interior deserves a little
noir flair with our matte laminates!



SL3010 • HAZELNUT



SL3011 • DIM GRAY



SL3012 • IRON GRAY



SL3013 • CROW BLACK



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



CLASSIC

Wood is the New Black! Stay bold and always in style with our wooden laminates.



WOODEN

SKYLITE
LAMINATES

SL6001 • BURGER WALNUT



SL6002 • TEAK WOOD



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



WOODEN

SKYLITE
LAMINATES

STYLISH



Highlighted through rich wood and textures. Now, enjoy each application of beauty

SL6003 • BUTTERNUT BROWN



SL6004 • BROWN WALNUT



TERMITE & BORER FREE



1.5MM THICKNESS



LIGHT WEIGHT



DURABILITY & STRENGTH



IDEAL FOR VERTICAL APPLICATION



WATER & STAIN PROOF

DIAMONDS

Our sparkle laminates make every day a celebration. Let the laminates work their magic! Get groovy now.



100%
PURE
ACRYLIC

64
ANTI SCRATCH
ACRYLIC

SPARKLE

SKYLiTE
LAMINATES


SL5004 • CAMEL



SL5005 • SHADOW GRAY



SL5006 • STEEL BLUE



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



Sizzle

Transform your space into a shimmering paradise with these sizzling sparkle ones!



SPARKLE


SKYLITE
LAMINATES



SL5001 • CHALK WHITE



SL5002 • GLACIER GRAY



SL5003 • SNOW WHITE



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



SPARKLE

SKYLiTE
LAMINATES



DAZZLE

Sparkle your way to interior perfection.
This collection is here shine.




SL5010 • LIGHT GRAY



SL5011 • SHARK GRAY



SL5012 • SLATE GRAY



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF



DISCO GLAM

Our sparkle laminates are the talk of the town. People love to bring it home!



SPARKLE


SKYLiTE
LAMINATES




SL5007 • PEARL RIVER



SL5008 • ANCHOR GRAY



SL5009 • PEARL SHADES



TERMITE &
BORER FREE



1.5MM
THICKNESS



LIGHT
WEIGHT



DURABILITY
& STRENGTH



IDEAL FOR
VERTICAL
APPLICATION



WATER &
STAIN PROOF

Evolution

Unleash the Power of Laminate
Elegance in Every Room!



TECHNICAL SPECIFICATION

Parameters	Acrylic Laminate	High Gloss Laminate Mica	PU Coating/ Duco Paint	Back Painted Glass
Gloss Level	>90	>70	>85	>85
Scratch Proof	Anti Scratch	NO	NO	NO
Color Consistency	Excellent	Not Good	Not Good	Not Good
Orange Peel	NO	YES	YES	NO
UV Resistance	Excellent	Bad	Bad	Bad
Water Resistance	Excellent	Bad	Bad	Excellent
DRY Heat Resistance	Excellent	Good	Bad	Bad
Volatile Organic Compounds (VOCs)	NO	YES	YES	YES